



**CHECKLIST #0110 FOR THE APPROVAL OF:
FIBER CEMENT SHINGLES**

- ❑ Basic Requirements Checklist:
- ❑ One set of the manufacturer's 'approval document' including:
 - ❑ Details of all sections with dimensions and thickness,
 - ❑ Assembly details including all installations conditions,
 - ❑ Profile drawings of all shingles submitted for approval,
 - ❑ Listing of all products, including manufacturers name used in the system, and
 - ❑ Detailed installation instructions for each shake or shingle, including valley, hip and ridges, and roof penetration details. Installation drawing showing fastener placing and staggering pattern, drawing to be part of approval document
- ❑ List of the manufacturing location(s) of product seeking approval.
- ❑ One set of manufacturer's design drawings marked and verified by the testing laboratory

The following current laboratory tests and reports in compliance with protocol TAS 301.

- ❑ Fire Resistance per ASTM E 108
- ❑ Wind and Wind Driven Rain Resistance per TAS 100
- ❑ Physical Properties per TAS 135
- ❑ Static Uplift Resistance per TAS 102 or TAS 102(A) as applicable

Notes:

- 1) If multiple manufacturing locations for the product being approved are to be included in the approval document, then testing must be performed and submitted for the manufactured product from each location.

